



Bionetix Remedy Maker Non-Powered

Thank you for purchasing the Bionetix Remedy Maker.

Please read carefully the following step-by-step instructions for correct use of this device.

Email us with any queries at: infobionetix@gmail.com

This device is non-powered and does not require electricity or batteries.

To prepare a remedy:

1. Select the rate (remedy code) to be imprinted from the rates directory.
2. Dial the numbers on the 12 knobs in the numbered sequence shown below. (It is possible to combine the rates of 2 remedies to imprint at the same time, only if both remedies have a total of 12 digits or less.)

For Example:

The rate for remedy X is 668495 and the rate for remedy Y is 374823, so to prepare the remedies together, enter 668495374823.

If the combined remedy rate numbers go beyond 12 digits, then prepare them individually and mix them together.

If a remedy rate has only 7 numbers, dial in the 7 digits in the same sequence with the remaining 5 knobs set to zero.



Note:

The 12 knobs complete a rotation from 0 to 10. Match the number to the golden mark next to each knob.

3. From the potency chart select the corresponding setting for the potency and dial it on the 3 small knobs numbered in the photo below.



For Example:

The potency setting for 1X is 40. To set this turn the

- knob marked '1' to '0'
- knob marked '2' to '4'
- knob marked '3' to '0'.

Another Example:

The Potency Dial setting for 10LM is 380. To set this turn the

- knob marked '1' to '3'
- knob marked '2' to '8'
- knob marked '3' to '0'.

The 3 potency knobs marked 1,2 and 3 rotate freely to complete a 360-degree rotation. They can be turned clockwise or anti-clockwise.

The chart provided for setting potency with the non-powered remedy maker is specifically calibrated to this model. It is imperative not to use it with other models.

4. With the remedy rates and the Potency set, place the medium to be imprinted on the 'OUT' plate shown below.
(This medium could be a bottle of water, pilules, alcohol, or a mix of water & alcohol – vodka or gin can also be used)



Note:

The type of medium or the container does not in any way affect the quality of the remedy imprinted. However, water as a medium is subject to contamination and degradation caused by atmospheric conditions and cannot be preserved for long periods. An alcohol & water mix is preferred for a longer shelf life.

5. You are now ready to charge the medium by moving the switch to the 'ON' position.



Allow the medium to charge for 10 seconds (keep an eye on your watch). Leaving the remedy on the plate for a longer period of time will neither improve nor damage the remedy imprinted in any way.

Remove the imprinted remedy from the 'OUT' plate before turning any dials or switches.

After removing the charged medium, toggle the switch to the 'OFF' position and the 12 knobs back to '0' so that there is no flow of energy during periods

of storage.

When preparing multiple remedies, there is no need to reset the knobs to zero between each remedy.

Please be aware that remedies can't be layered on top of each other on a single bottle. Each remedy must be prepared individually and then combined in a separate bottle. It's important not to imprint the first remedy and then alter the potency for the second remedy and attempt to imprint it on the same bottle.

Copying/Imprinting from a Sample

1. Place the sample (homeopathic remedy in any potency, mother tinctures, blood, urine, herb, medicine, food item, chemicals, gemstones, etc.) on the plate marked 'IN'.

Samples should be placed in containers such as small bottles or tiny zip-lock packets so that the device is not contaminated.

2. Set the 12 rate dials to '0'

(If a remedy rate is set on the 12 dials along with a sample on the 'IN' plate, the imprinted remedy will be a combination of both the sample and the remedy rate in one bottle.)

3. Select the Potency required and set the corresponding numbers on the three dials as mentioned earlier.

4. With the potency dialed in, it is time to place the medium to be charged with the sample's frequency. Place a bottle filled with pilules or water on the 'OUT' plate.

5. You are now ready to charge the medium by moving the switch to the 'ON' position.

To complete the process, it will take 10 seconds. Once the time is up, lift the bottle from the 'OUT' plate before removing it from the 'IN' plate. Finally, toggle the switch back to the 'OFF' position. (Leaving the remedy on for longer will not improve nor harm the imprinted remedy).

To create a combined remedy, use the Remedy Maker by setting the rates

on the 12 dials and adding a sample to the "IN" plate. If necessary, set the potency and place a bottle on the "OUT" plate. Wait for 10 seconds, and the combined remedy will be prepared from the sample and rates.

A previously imprinted or shop-bought remedy in any potency can be used to further copy it at any potency, high or low, on the device.

Remedies can be prepared without a potency by setting the 3 potency dials to 000. This will imprint the closest energetic version of the remedy in its gross form.

This sums up the steps involved in preparing a remedy on the Bionetix Non-Powered Remedy Maker.

Distance Healing (Broadcast):

If you want to send a remedy remotely, follow these steps: prepare the remedy as usual, but instead of using a bottle of the substrate, put a witness item like a photo, hair sample, or nail clippings on the 'OUT' plate. Then, turn on the device and let the operator decide how long to broadcast the remedy based on the individual case.

Neutralising a previously imprinted remedy:

To neutralise a previously imprinted remedy, place the bottle on the 'OUT' plate with nothing on the 'IN' plate. Set the potency dials to 999 and toggle the switch to 'ON' for 10 seconds. After this time, the bottle is clear of the previous imprint and ready to be re-used.

Looked after with care, the Bionetix Remedy Maker will serve you for a lifetime!



* This device is intended for research purposes only *

Infobionetix@gmail.com